Supporting Information

Chemical Constituents from *Ganoderma applanatum* and Absolute Configuration Determination of New Compounds

BU Qing-hua^{1,#}, LUO Qi^{2,#}, CHENG Yong-xian^{1,2*}

¹College of Pharmaceutical Science, Dali University, Dali 671002, China; ²State Key Laboratory of Phytochemistry and Plant Resources in West China, Kunming Institute of Botany, Chinese Academy of Sciences, Kunming 650201

Contents of Supporting Information

- Figure S1. ¹H NMR spectrum of **1** in methanol- d_4
- Figure S2. ¹³C NMR and DEPT spectra of 1 in methanol- d_4
- Figure S3. HSQC spectrum of 1 in methanol-d4
- Figure S4. HMBC spectrum of 1 in methanol-d4
- Figure S5. ¹H-¹H COSY spectrum of $\mathbf{1}$ in methanol- d_4
- Figure S6. HRESIMS spectrum of 1
- Figure S7. CD spectrum of (+)-1 in methanol
- Figure S8. CD spectrum of (-)-1 in methanol
- Figure S9. ¹H NMR spectrum of **2** in methanol- d_4
- Figure S10. ¹³C NMR and DEPT spectra of 2 in methanol- d_4
- Figure S11. HSQC spectrum of 2 in methanol-d4
- Figure S12. HMBC spectrum of 2 in methanol- d_4
- Figure S13. ¹H-¹H COSY spectrum of **2** in methanol-*d*₄
- Figure S14. HRESIMS spectrum of 2
- Figure S15. CD spectrum of (+)-2 in methanol
- Figure S16. CD spectrum of (-)-2 in methanol



Figure S1. ¹H NMR spectrum of **1** in methanol-*d*₄











Figure S4. HMBC spectrum of **1** in methanol-*d*₄





User Spectra



Figure S6. HRESIMS spectrum of 1



Figure S7. CD spectrum of (+)-1 in methanol



Figure S8. CD spectrum of (-)-1 in methanol



Figure S9. ¹H NMR spectrum of **2** in methanol- d_4



Figure S10. ¹³C NMR and DEPT spectra of **2** in methanol- d_4



Figure S11. HSQC spectrum of 2 in methanol-d4



Figure S12. HMBC spectrum of 2 in methanol-d4









Figure S14. HRESIMS spectrum of 2







Figure S16. CD spectrum of (–)-2 in methanol